













more caught rebon shrimp.

Based on the results of the t-student test conducted on the total weight of the catch (Appendix 1) it is known that this is 22 greater than  $t_{tab}$  0.05 at 1.75 ( $t_{hit} > t_{0.05}$ ) then research at hauling before midnight (08:00 p.m. – 11:30 p.m.) and after midnight (00:30 a.m. - 04:00 a.m.) have a significant (significant) effect on the catch because there is a difference in the total weight of the catch between before midnight (08:00 p.m. - 11:30 p.m.) and after midnight (00:30 a.m. - 04:00 a.m.).

## Conclusion

The research concluded that the optimal hauling time for set lift net on the East Coast of Pangandaran waters was at the time after midnight (00:30 a.m. – 05:00 a.m.) with a total catch of 758.54 kgs.

## References

- [1] Akbar, P.P., A. Solichin, dan S.W. Saputra. 2013. Analisis Panjang-Berat dan Faktor Kondisi pada Udang Rebon (*Acetes japonicus*) di Perairan Cilacap, Jawa Tengah. *Journal of Management of Aquatic Resources* 2(2) : 161-169.
- [2] Basmi J. 1995. *Planktonologi: Produksi Primer*. Bogor: Fakultas Perikanan, Institut Pertanian Bogor.
- [3] Dinas Kelautan dan Perikanan (DKP) Kabupaten Ciamis. 2012. Laporan Tahunan Dinas Kelautan dan Perikanan Kabupaten Ciamis. Ciamis. Dinas Kelautan dan Perikanan Kabupaten Ciamis.
- [4] Haruna. 2010. Distribusi Cahaya Lampu Dan Tingkah Laku Ikan Pada Proses Penangkapan Bagan Perahu Di Perairan Maluku Tengah. *Jurnal Amanisal PSP FPIK Unpatti-Ambon*. Vol.1. No.1 : 22-29.
- [5] Holdich DM. 2002. Back Ground and Functional Morphology. Di dalam: Holdich D.M, *Biology of Freshwater Crayfish*. Blackwell Science. United Kingdom.
- [6] Hutabarat, S. dan M.E Stewart. 1984. *Pengantar Oseanografi*. UI Press. Hal 54-67
- [7] Mulyono. 1986. *Alat-alat Penangkapan Ikan - Buku I: Macam-macam Pancing, Perangkap, Jaring Angkat*. Dinas Perikanan Produksi Daerah Tingkat I: Jawa Tengah.
- [8] Sudirman dan Mallawa, A. 2004. *Teknik Penangkapan Ikan*. Rineka Cipta. Jakarta.