

- no. 5, pp. 2481–2495, May 2015.
- [25] L. Cheng, Y. Wang, L. Zhong, P. Du, and M. Li, "Technical Framework of Feature Extraction Based on Pixel-Level SAR Image Time Series," *IEEE J. Sel. Top. Appl. Earth Obs. Remote Sens.*, vol. 8, no. 4, pp. 1665–1681, Apr. 2015.
- [26] G. Aktaş, Ç. Bak, F. Nar, and N. Şen, "Land-cover classification in SAR Images using dictionary learning," in *SAR IMAGE ANALYSIS, MODELING, AND TECHNIQUES XV*, 2015, vol. 9642, p. 964205.
- [27] T. L. M. Barreto *et al.*, "Classification of Detected Changes From Multitemporal High-Res Xband SAR Images: Intensity and Texture Descriptors From SuperPixels," *IEEE J. Sel. Top. Appl. Earth Obs. Remote Sens.*, vol. 9, no. 12, pp. 5436–5448, Dec. 2016.
- [28] K.-F. Lin and D. Perissin, "Single-Polarized SAR Classification Based on a Multi-Temporal Image Stack," *Remote Sens.*, vol. 10, no. 7, p. 1087, Jul. 2018.
- [29] F. Del Frate, M. Picchiani, A. Falasco, and G. Schiavon, "Contextual descriptors and neural networks for scene analysis in VHR SAR images," in *SAR IMAGE ANALYSIS, MODELING, AND TECHNIQUES XVI*, 2016, vol. 10003, p. 1000304.
- [30] G. Dong-dong, T. Tang, L. Zhao, and J. Lu, "A feature combining spatial and structural information for SAR image classification," in *2015 IEEE International Geoscience and Remote Sensing Symposium (IGARSS)*, 2015, vol. 2015-Novem, pp. 4396–4399.
- [31] N. Li, F. Liu, and Z. Chen, "A texture measure based on intuitionistic fuzzy set theory for the detection of built-up areas in high-resolution SAR images," *IEEE J. Sel. Top. Appl. Earth Obs. Remote Sens.*, vol. 7, no. 10, pp. 4255–4265, Oct. 2014.
- [32] X. Wu, X. Wen, L. Yuan, Y. Guo, and J. Xu, "Cluster-Based Tensorial Semisupervised Discriminant Analysis for Feature Extraction of SAR Images," *IEEE Access*, vol. 7, pp. 6101–6112, 2019.
- [33] I. Hammami, J. Dezert, and G. Mercier, "Kohonen-Based Credal Fusion of Optical and Radar Images for Land Cover Classification," in *2018 21st International Conference on Information Fusion (FUSION)*, 2018, pp. 1623–1630.
- [34] H. Kim and A. Hirose, "Unsupervised Fine Land Classification Using Quaternion Autoencoder-Based Polarization Feature Extraction and Self-Organizing Mapping," *IEEE Trans. Geosci. Remote Sens.*, vol. 56, no. 3, pp. 1839–1851, Mar. 2018.
- [35] C. O. Dumitru, G. Schwarz, and M. Datcu, "Land Cover Semantic Annotation Derived from High-Resolution SAR Images," *IEEE J. Sel. Top. Appl. Earth Obs. Remote Sens.*, vol. 9, no. 6, pp. 2215–2232, Jun. 2016.
- [36] B. Hou, C. Chen, X. Liu, and L. Jiao, "Multilevel Distribution Coding Model-Based Dictionary Learning for PolSAR Image Classification," *IEEE J. Sel. Top. Appl. Earth Obs. Remote Sens.*, vol. 8, no. 11, pp. 5262–5280, Nov. 2015.
- [37] X. Huang, H. Qiao, B. Zhang, and X. Nie, "Supervised Polarimetric SAR Image Classification Using Tensor Local Discriminant Embedding," *IEEE Trans. Image Process.*, vol. 27, no. 6, pp. 2966–2979, Jun. 2018.
- [38] B. Pradhan, S. Abdullahi, and Y. Seddighi, "Detection of urban environments using advanced land observing satellite phased array type L-band synthetic aperture radar data through different classification techniques," *J. Appl. Remote Sens.*, vol. 10, no. 3, p. 036029, Sep. 2016.
- [39] M. N. S. Ramya and S. Kumar, "Feature extraction using multi-temporal fully polarimetric SAR data," in *LAND SURFACE AND CRYOSPHERE REMOTE SENSING III*, 2016, vol. 9877, p. 987718.
- [40] N. Gorelick, M. Hancher, M. Dixon, S. Ilyushchenko, D. Thau, and R. Moore, "Google Earth Engine: Planetary-scale geospatial analysis for everyone," *Remote Sens. Environ.*, vol. 202, pp. 18–27, Dec. 2017.

IJSER