













## References

- [1] Alfia, A. R. , E. Arini, T. Elfitasari. 2013. *Pengaruh Kepadatan Yang Berbeda Terhadap Kelulushidupan Dan Pertumbuhan Ikan Nila (Oreochromis niloticus) Pada Sistem Resirkulasi Dengan Filter Bioball*. Journal of Aquaculture Management and Technology. Vol. 2, No. 3:86-93.
- [2] Andriani, Y., Y Dhahiyat, Zahidah, U Subhan, Iskandar, I Zidni, T Mawardiani. 2018. Effect of water irrigation volume on Capsicum frutescens growth and plankton abundance in aquaponics system. IOP Conf. Series: Earth and Environmental Science 139 (2018) 012001. The 2nd International Symposium on Marine and Fisheries Research
- [3] Boyd CE, Linchtokopler F. 1982. Water quality development series No. 22. Auburn, Alabama: International Center for Aquaculture. Aquaculture Experiment Station
- [4] Durborow RM, Avault Jr JW, Johnson WA, Koonce KL. 1985. Differences in mortality among full-sib channel catfish families at low dissolved oxygen. Progress Fish-Cult 47:14-20.
- [5] Effendi, H. 2003. Assessing Water Quality for Resource Management and Environmental Water. Kanisius , Yogyakarta. [Indonesian] .257 pages.
- [6] Goddard, J.S. 1996. Feed Management in Intensive Aquaculture. Chapman and Hall. USA.
- [7] Hermawan D. 2015. Aquaponic technological applicaton on low salinity vaname shrimp *Litopenaeus vannamei* rearing with lettuce plant on different spreading density. Journal of Agriculture and Fisheries Science 4: 79–85.
- [8] Kordi, M.G dan Tancung A. B. 2007. *Pengelolaan Kualitas Air dalam Budidaya Perairan*. Rineka Cipta. Jakarta.
- [9] Le TTH., J.Fettig, G. Meon. 2018. Kinetics and simulation of nitrification at various pH values of a polluted river in the tropics. ECOHYD-188:12pp
- [10] Molleda, M. I. 2007. *Water Quality in Recirculating Aquaticultures Systems For Arctic Charr (Salvelinus alpinus L) Culture*. United Nation University, Iceland.
- [11] Mulqan, M. S.A El Rahimi, I. Dewiyanti. 2017. The Growth and Survival rates of Tilapia Juvenile (*Oreochromis niloticus*) in Aquaponics Systems with Different Plants Species. Jurnal Ilmiah Mahasiswa Kelautan dan Perikanan Unsyiah Volume 2, Nomor 1: 183-193
- [12] Ogunji, J., R. S. Toor., C. Schulz., and W. Kloas. 2008. *Growth performance, nutrient utilization of nile tilapia Oreochromis niloticus fed housefly maggot meal (maggot) diets*. Turkish Journal of Fisheries and Aquatic Sciences 8.
- [13] Putra, I, dan Setiyanto, D. 2011. *Pertumbuhan Dan Kelangsungan Hidup Ikan Nila (Oreochromis niloticus) Dalam Sistem Resirkulasi*. Jurnal Perikanan dan Kelautan 16(1): 56-63.
- [14] Satyani, D., Mundriyanto H, Subandiyah S, Chumaidi, Sudarto, Taufik P, Slembrouck J, Legendre M, dan Pouyau L. 2006. *Teknologi Pembelian Ikan Hias Botia (Chromobotia macracanthus Bleeker) Skala Laboratorium*. Loka Riset Budidaya Ikan Hias Air Tawar. Depok.
- [15] SNI. 1999. *Produksi Benih Ikan Nila Hitam (Oreochromis niloticus Bleeker) kelas benih sebar*. Badan Standarisasi Nasional. Jakarta. 13 hlm.
- [16] Van Rijn, J., Y. Tal, and H. J. Schreir. 2006. *Denitrification in Recirculating System: Theory and Applications*. Journal Aquacultural Engineering 34, 364-376.